



Nano Fertilizers: Revolutionizing Agriculture for a Sustainable Future

Adarsh Pandey ^a, Megha Kumari ^a, Muskan Kadyan ^a,
Debabrata Dhar ^a and Shakti Om Pathak ^{a*}

^a Faculty of Agricultural Sciences, Shree Guru Gobind Singh Tricentenary University, Gurugram, Haryana, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/ajsspn/2024/v10i4400>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/118096>

Received: 06/04/2024

Accepted: 10/06/2024

Published: 15/10/2024

Review Article

ABSTRACT

Nanotechnology, one of the advanced fields of study, is currently the focus of contemporary science and one of the most important ones in physics, chemistry, agriculture, and other fields. Nanotechnology provides superior quality, environmental safety, biological support, and financial stability as an environmentally sound substitute for traditional agriculture. Utilizing nanoparticles (NPs) in agriculture has introduced recently; examples like biosynthesis, the use of nanopesticides and fertilizers, improving biological function, and reducing heavy metal toxicity and abiotic stress. To focus on safe use and positive response of nano-particles, more research is required. There are gaps in the food supply compare to food production, which get worse over time due to rising food demands and nutrient depletion. Environmental degradation, changes in soil ecology, and problems with agricultural output are all brought on by synthetic fertilizer inputs. Adapting advanced agriculture technology for a sustainable future will be the main topic of this review.

*Corresponding author: Email: shakti_fasc@sgtuniversity.org;

Cite as: Pandey, Adarsh, Megha Kumari, Muskan Kadyan, Debabrata Dhar, and Shakti Om Pathak. 2024. "Nano Fertilizers: Revolutionizing Agriculture for a Sustainable Future". *Asian Journal of Soil Science and Plant Nutrition* 10 (4):246-60. <https://doi.org/10.9734/ajsspn/2024/v10i4400>.

Keywords: Sustainable agriculture; nanotechnology; nanofertilizers; fertilizer.

1. INTRODUCTION

As we know that there are three categories of nanotechnologies: Nano-fertilizer, Nano-additives and Nano-coatings, for use in fertilizer inputs and plant protection. The application of nanoparticles to bridge the gap between bulk materials and their atomic or molecular structures is of tremendous scientific interest. Application of fertilizer is essential for raising agricultural yield, excess fertilizer application reduces the amount of land that can be used for crop production. Agrochemical use in sustainable agriculture must be kept to a minimum in order to maintain biodiversity and the ecosystem. Maintaining the health and quality of the soil and plants is beneficial for climate conservation and sustainable agriculture. Another cutting-edge agricultural technique that can make it possible to produce agricultural fields efficiently is nanotechnology [1]. The field of nanotechnology has made it possible to use nanoscale or nanostructured materials as controlled-release or fertilizer carriers, thereby creating "smart fertilizers" that lower environmental protection expenditures [2]. Fertilizers that have been designed to the nanoscale, or commonly between 1 and 100 nanometers in at least one dimension, are referred to as Nano fertilizers. Nutrients like potassium, phosphorus, nitrogen, and other micronutrients are present in this type of fertilizer. When high analysis chemical fertilizers are added to soil, a significant amount of them are wasted and are not available to plants. For instance, 40–70%, 80–90%, and 50–90% of fertilizers, including potassium (K), phosphorus (P), and nitrogen (N), are lost or fixed in soils, causing financial losses for the farmers [3].

When used as Nano-fertilizers, Nano-scale nutrients should lessen nutrient leaching and volatilization losses because their formulation may enable selective release correlated with time and environmental factors and may time the release of nutrients with crop uptake [4]. The particles of Nano fertilizers are small enough for plants to absorb and increase agricultural production [5]. Such a carrier complex may or may not contain nanostructured elements, which could be nanomaterials. It is integrated through either adsorption or absorption into a matrix made of zeolite, chitosan, polyacrylic acid, or clay [6]. They can be categorized according to

their consistency, activity, and nutrient makeup. These categories comprise nutrient-loaded, inorganic and organic, hybrid, controlled-release, targeted delivery, plant growth-stimulating, water- and nutrient-loss-controlling, and different consistency-based Nano fertilizers like surface-coated, synthetic polymer-coated, biological product-coated, and Nano carrier-based options. Promising Nano fertilizers with granular structures that supply essential nutrients to plants over a prolonged period of time—weeks to months—are called controlled-release fertilizers (CRFs) [7,8]. Because of their special qualities, nano materials like graphene, carbon nanotubes, and quantum dots are perfect for controlled-release applications [9,10]. In comparison to conventional fertilizers, Nano-fertilizers have advantages in terms of application and small requirements, slow-release mechanism, transportation and application cost savings, and relatively minimal salt accumulation in the soil. These enhance the bioavailability of nutrients, thus successfully meeting crop nutritional requirements. Through bio fortification, foliar-applied Nano-fertilizers improve crop nutritional quality. Whether applying liquid fertilizer for macronutrients or micronutrients, the method is highly successful [11]. According to El-Ghamry, Nano fertilizers can: (1) lower the chemical load in the soil, (2) increase nutrient use efficiency (NUE), (3) reduce the adverse effects of conventional bulky fertilizers, and (4) decrease the frequency of application [12].

2. NANOTECHNOLOGY IN AGRICULTURE

Nanotechnology, one of the innovative research areas, is now the center of attention for modern science and one of the most significant areas in physics, chemistry, agriculture and other disciplines [13]. Applications of nanotechnology in agriculture include Nano-encapsulated flavor enhancers, Nano sensors, Nano-fertilizers, Nano films in packaging to stop spoiling and oxygen absorption and Nano-chip use tracking and identification [14]. The food industry, biomedicine, environmental engineering, safety and security, water resources, energy conversion and many other fields could undergo a revolution thanks to nanotechnology, which focuses on unique properties of materials arising from nanometric size [15].




Fig. 1. The role of nanotechnologies in improving agriculture practices [16]




Fig. 2. The role of nanotechnologies in improving food industry [19]

In order to preserve the natural resources that agriculture depends on and guarantee food security for the world's expanding population, sustainable food production methods are required [17]. The food demand is rising daily due to the growing world population, which has forced growers to employ fertilizers on a vast scale [18].

The role of nanotechnologies in soil science field: The processes of industrialization and urbanization deplete natural resources and produce toxic waste that contaminates the air, water, and land. An economical and energy-efficient method of treating these wastes is provided by nanotechnology. Treatment of the soil, water, and air is advantageous. Nanomaterials can also be used to treat

bioaerosols, greenhouse gases, and polluted water [20]. Pollution buildup in food chains, however, impact on both people and wildlife at serious risk. "Nanotechnology" is a group of emerging technologies that operate on the nanometer scale, or range between 1 and 100 nm, to produce materials, devices, and systems with fundamentally new properties and functions by controlling the size and shape of matter. This is one of the most promising avenues to revolutionize environmental remediation techniques [21]. A viable strategy for creating cost-effective, environmentally friendly, and sustainable solutions to remove hazardous pollutants from the environment is nanotechnology. Nanotechnology creates systems, technologies, and materials with novel features and capabilities by operating on a nanoscale scale. It's possible uses in the treatment of pollution, including as disinfectants, sensors, membranes, and nano-adsorbents, present leapfrogging opportunities for the advancement of traditional remediation technologies. To develop environmentally sound, resilient, and cost-effective methods for remediating soil, water, and air pollution, immediate action is required. Due to its potential applications in a variety of pollution treatment disciplines, nanotechnology has gained significant traction globally and is providing leapfrogging opportunities for the advancement and transformation of traditional remediation technologies [22].

The role of nanotechnologies in Agronomy field: Agronomy, the study of crops grown for food and fiber, is mother branch of agricultural science. It is essential since, in the majority of developing nations, it powers the economies and provides both direct and indirect food for people [24]. Population expansion, climate change,

diseases, soil erosion, nutrient shortages, urbanization, and industrialization are some of the issues facing agriculture. Crop output and growth are directly impacted by the overuse of synthetic fertilizers [25,26]. Due to an excess use of water and a rise in hazardous chemicals, pesticide-induced crop disease and traditional irrigation techniques are two factors that contribute to soil and water depletion [27]. Effective nanomaterials are used in nanotechnology to protect crops, monitor plant growth, diagnose disease-causing organisms, increase food production, and boost agricultural and livestock productivity [28]. Food production and crop protection are the two main applications of nanotechnology, which offers novel instruments for the safe, regulated distribution of agrochemicals without upsetting ecosystems or lowering the concentration of pesticides in the environment [29,30].

The role of nanotechnologies in horticulture field: High-yield crops are promoted by nano-fertilizers in horticulture, which is advantageous for sustainable farming. However, the absence of risk management, monitoring, and formulations impedes their advancement. Though they can affect how well plants absorb nutrients, nanomaterials also pose a risk to human health because they can penetrate cell membranes and enter biological processes [31,32]. The study emphasizes how harmful nano-fertilizers are to ecosystems, food security, human health, and ecosystems. To ensure safety, it demands the use of established crop formulations and guidelines. However, there are drawbacks to using nanotechnology in horticulture, such as worries about environmental impact and safety. Cost is a constraint, and safety regulations are becoming more and more necessary due to changing regulations [33].

Table 1. Potential applications in a variety of pollution treatment disciplines

Nanoparticles Type	Application	Usage	Soil Applications
Silica based	Germination of seeds	Content of chlorophyll together with buildup of proline	The makeup of the soil also improved.
Iron sulfate	cultivars without flowers	exceptional resilience to the shock of salinity	The Layering and Composition of Soil
Nano zeolite	For sustained nutrition and mineral supply	Additionally, agricultural practices strengthen tolerance to drought.	The composition of soil also improved.
Nano-Si	Remediation	Regulating Cd accumulation	Remediation of Soils
Nano-fertilizers	efficient in reducing soil deterioration	abundant metals that are simple to remove	The composition of soil also improved.

The Soils Improvement through Nanotechnology [23]

Nano Fertilizer Synthesis Method: It is possible to create nanoparticles by physical, chemical, biological, and aerosol methods

3. SYNTHESIS OF NANO FERTILIZER USING PHYSICAL MEANS

By milling, crushing, or grinding bulk materials into Nano sized materials, the top-down technique is a physical method for creating nano materials [34]. Etching technology, high-energy ball milling, cryo-milling, cold milling, mechanical polishing, nanoimprint lithography and sliding wear are a few examples of top-down processes. The most popular top-down technique is high-energy ball milling, formerly known as mechanical milling. This process entails severely plastically deforming large particles into nanosized particles in order to decrease material size and increase the surface area and reactivity of the particles. An attrition mill is used in high-energy ball milling, which was developed in an effort to create homogenous composite particles or alloys [35]. Other mills, like shaker mills, mixer mills, ball mills and planetary ball mills, are then used. The results of Benjamin's research in the 1970s prompted research into the various phases involved in high-energy ball milling [36,37]. The primary disadvantage of the high-energy ball milling technique is the uneven surface structure that is produced, making it unsuitable for the preparation of materials with consistent shapes. Shaker mills, attrition mills and planetary ball mills are the three types of high-energy ball milling equipment [38,39]. In shaker mills, the sample and grinding media—that is, the milling balls and sample—are violently spun to and fro multiple times, forcing the milling balls to collide. The sample and the vial wall ultimately cause the size reduction in the final result. By lowering the precursor size to nanoparticle size or by milling two or more types of precursors to create a nanocarrier or nanosensor, high-energy ball milling produces nanofertilizer [40].

4. SYNTHESIS OF NANOFERTILIZER USING CHEMICAL MEANS

Chemical techniques known as "bottom-up methods" are used to create nano materials by combining basic units to form more stable, bigger structures. Entails assembling the substance atom by atom and cluster by cluster until a nanoscale material is formed. It involves the production of ultrafine particles through their dissolved molecular state using appropriate solvents, as well as positional assembly, self-

assembly and chemical synthesis [41]. The bottom-up approach uses a number of techniques, including sol-gel, inert gas condensation, arc discharge, fast solidification, arc plasma and physical and chemical vapor deposition. The advantages of the bottom-up technique lie in its ability to generate uniform nano materials in terms of size, shape and distribution. For the synthesis of nanoparticles to be applied to plants, bottom-up methods are frequently used [42].

5. SYNTHESIS OF NANO FERTILIZER USING BIOLOGICAL MEANS

The application of biosynthetic, or "green," technologies—which are low-cost, eco-friendly, and produce less contamination—is essential to nanotechnology. Metal nanoparticles (NPs) can be produced in an environmentally friendly way by promoting biological molecules to move through carefully regulated hierarchical assemblages. Biosynthesis is the result of the actions of many different biological organisms, including bacteria, fungus, algae and different plants that include leaves, fruits, roots, flowers and seeds [43]. These organisms have the unusual capacity to concentrate and absorb metallic ions from their surroundings, which makes them plausible mediators of NP production.

5.1 Synthesis Mediated by Microbes

As energy-efficient, inexpensive and non-toxic technologies that can create MNPs more quickly than physicochemical procedures, microorganisms as nano-factories hold out a great deal of potential. There are two ways to extract the nanomaterials from the microbes: intracellularly and extracellularly. Because of its negative charge, the cell wall plays a significant role in the unique transport systems involved in intracellular biosynthesis in microorganisms. Positively charged metal ions are deposited on negatively charged cell walls through electrostatic interactions [44]. Following entry into the microorganism's cells, ions undergo reduction through metabolic processes facilitated by enzymes such as nitrate reductase, resulting in the formation of MNPs. During the extracellular mechanism, the nitrate-reductase production pathway converts the metal ions to their corresponding NPs [45].

5.2 Synthesis Mediated by Plants

Plants are readily available natural sources that yield larger amounts of bimolecular reducing

agents than microorganisms do. Metallic NPs have been created using extracts from a variety of plant materials, including fruits, stalks, leaflets, roots and blossoms [46]. Plant material is cleaned, dried, boiled and then filtered to create plant extract. After that, a metallic salt solution is mixed with the plant filtrate and the mixture is further incubated to yield metallic nanoparticles. The phytochemicals contained in plant extracts, such as terpenoids, flavones, quinones, ketones and aldehydes, function as electron donors to transform metal ions into nanoparticles (NPs) in aqueous solutions [47,48].

5.3 Synthesis of Nanofertilizer Using Aerosol Means

The gas flow rate, heater size and diffusion drier size must all be precisely controlled in order to manufacture nanoparticles using the aerosol approach [49]. These methods mainly consist of evaporating a zinc source inside a chamber using resistive heat. There are other heat sources that are employed, such as lasers, radio frequencies, and electron beams. The vapors are forced to transfer from the heating chamber into the inert-gas chamber, which is cooler, and are collected there for more consolidation. There are five distinct aerosol processes used to create nanoparticles [50]. These include the following:

- i. **Flame method:** - The flame approach can successfully create TiO₂ nanoparticles, but it must be handled with appropriate caution.
- ii. **Furnace method:** - It is extremely difficult to generate particles smaller than 100 nm using the furnace approach.
- iii. **Electrospray chemical method:** - The yield of electro spraying is quite modest (1 g per year), but it is a highly valuable approach for producing nanoparticles with precise size and form.
- iv. **Chemical vapor deposition method:** - vapor deposition of chemicals (with catalytic interaction).
- v. **Physical vapor deposition method:** - physical vapor deposition (in the absence of catalysis).

6. APPLICATION METHOD OF NANO FERTILIZERS

Application of nanofertilizer can be done in three main ways: foliar, seed nanoprimering, and root application. By directly spraying nanofertilizers

onto plant leaves, a technique known as foliar application, nutrients can be absorbed by the leaves more quickly. This approach works especially well in areas with poor soil fertility or when nutrients are needed urgently [54-56]. Before sowing, seeds are coated or soaked in a solution containing nanofertilizers, a process known as seed nanoprimering. Rapid germination, robust seedlings, and improved nutrient uptake over the course of the plant's life are all encouraged by this strategy. It is possible to apply nanofertilizers to the soil by traditional methods like side-dressing, broadcasting, or fertigation. After entering the soil, the NPs engage in interactions with plant roots by either adhering to the root surface or entering the root cells by means of endocytosis [57,58].

6.1 Foliar

Plant physiology influences how well nanoparticles are absorbed by plants. Generally, trichomes, stomata, stigma and hydathodes absorb NPs, which are then carried by the phloem and xylem throughout the plant. There are two ways that NPs can translocate: apoplastic and symplastic pathways. The apoplast, or cell wall and other intercellular spaces, is where macromolecules (NPs, water, etc.) go through during the apoplastic route. The size exclusion limits (SELs) of cell walls, which range from 5 to 20 nm, restrict the amount of such macromolecules that can travel during this transport [59]. On the other hand, in the symplastic pathway, plasmodesmata—the inner side of the plasma membrane—are the mechanism by which macromolecules (NPs) are transferred from one cell to another. To control phytopathogens, NFs can also be mixed with nanoparticles. Enzymes that stress plant cells have the ability to sever chemical connections within the polymer wall's nanocapsule. The plant releases mucilage to stave off infection when it senses an attack by plant pathogens. Additionally, the buildup of nanoparticles on the leaflets' surface may result in foliar heating, which could modify gas exchange because it would impede the stomata [60].

6.2 Seed Nanoprimering

A pre-sowing process known as "seed primering" modifies the physiology of seeds to hasten germination and stimulate plant growth and development by controlling metabolic and

signaling cascades. The technique, which entails soaking seeds in nanofertilizers, has been demonstrated to cut fertilizer application in half while producing superior outcomes. Nano biofertilizers work as growth-promoting hormone-stimulating agents, entering seed pores and spreading throughout, thus promoting germination and development [61]. Utilizing nanofertilizer during seed priming reduces reactive oxygen species and controls plant growth hormones to enhance seed germination. In addition to increasing resistance, seed priming also promotes the expression of several genes during germination, especially those linked to plant resilience. Traditional techniques for seed priming involve the use of water, nutrients, or hormones to break down the seed coat. Advanced seed nano-priming methods, on the other hand, apply nanofertilizers directly to the seed surface, leaving a significant portion that prevents disease penetration [62]. Absorption of nanocompounds at the cellular level minimizes input and avoids molecular interactions, resulting in the generation of extremely resilient seeds with enhanced germination and growth of seedlings, particularly in stressful conditions. By boosting antioxidants, controlling internal hormone activity in crops, and lowering the production of reactive oxygen species (ROS), nanofertilizers lessen plant stress [63,64].

6.3 Roots

NPs enter the plant through the root's epidermis, pass through the endodermis and enter the xylem, where they are carried to the aerial portion of the plant. When NPs are between 3 and 8 nm in size, they pierce the cell wall through pores. Because the Casparian strip has wounds, NPs can also enter at the root tip meristem or at the locations of lateral root development. NPs must break through cell walls and plasma membranes in order to reach the epidermal layers of the roots. They then penetrate the vascular tissues (xylem) from there. The cell walls have pores that range in size from 3 to 8 nm, which is extremely small for NPs to enter. Nevertheless, it has been demonstrated that NPs cause the creation of huge pores in cell walls so that they can internalize [65,66].

6.4 Mechanisms of Action

Comparing NMs to traditional fertilizers, their high reactivity guarantees maximum usage

efficacy and high and efficient plant nutrient absorption with minimal waste. In addition to characteristics intrinsic to the nanoparticle, such as size and coating, the efficiency of the absorption, distribution and accumulation of NFs is dependent on exposure to numerous conditions, including the pH of the soil, the amount of organic matter and the texture of the soil. Effects of many variables on the uptake, penetration, transport and absorption of nanoparticles in plants [68,69].

- A. The characteristics of nanoparticles impact on both the application technique and their absorption and translocation in plants.
- B. Nanoparticles can interact with chemicals and bacteria in the soil, which may help or hinder their absorption.
- C. Nano materials can travel up and down the plant using the Apo plastic and symplastic pathways and they can also migrate radially to switch between pathways.
- D. Endocytosis, pore formation, carrier protein-mediated internalization and plasmodesmata are a few of the mechanisms that have been postulated to explain how nanoparticles enter cells.

6.5 Benefits

NFs have several advantages for environmentally responsible and sustainable crop production [70]. The following are a few of these in particular:

- i. Improved nutrition absorption and effective use without losses.
- ii. Substantial decrease in the danger of environmental contamination as a result of the reduction in nutrient losses.
- iii. When considering the solubility and diffusion rate of natural fibers (NFs) in comparison to traditional synthetic fertilizers,
- iv. Regulated nutrient release in NFs as opposed to chemical fertilizers, where nutrient release occurs very quickly and spontaneously.
- v. NFs are needed in smaller quantities than with synthetic fertilizers because of increased absorption and decreased loss.
- vi. Both an increase in soil fertility and the creation of a suitable environment for microorganisms.

Table 2. Properties of Nono Fertilizers

Sr. No.	Properties	Nano fertilize	Inorganic fertilizer
1.	Rate of nutrient loss	Minimum loss of fertilizer nutrients	Tendency of frequent loss by runoff, leaching, and drifting
2.	Controlled release	Release pattern and rate are carefully regulated.	High toxicity and soil imbalance result from excessive nutrient release.
3.	Solubility	Highly soluble	Less soluble
4.	Bioavailability	High	Low
5.	Dispersion of mineral micronutrients	enhanced insoluble nutrient dispersion	Reduced solubility as a result of the big particle
6.	Effective duration of release	Effective and extended duration	Utilized by the plant in small amount when and where it is applied, the remaining is transformed into an insoluble form.
7.	The efficiency of nutrients uptake	increased uptake ratio and reduced need for fertilizer	Roots cannot access it, and nutrient uptake efficiency is poor.
8.	Soil adsorption and fixation	Reduced	High

Properties of Nano Fertilizers [51-53]




Fig. 3. Path ways of nanoparticle association, uptake and translocation in plants. Broken lines indicate the assumption of very low rates of transport [67]

6.6 Challenges in Nanofertilizers Application

The introduction of nano fertilizers in India is not without challenges, as is the case with any new technology. Nano-based products are becoming more and more popular for field applications in agriculture as a means of overcoming this. It is considered vital to carefully assess the optimal activity and concentration of NFs before applying them in the field in order to achieve the best

outcomes possible, taking into account high yields and low losses. Remaining levels of NFs should be measured during plant studies to lessen the possibility of impacting other biotic components in the ecosystem. Simultaneously designing and implementing safety measures is crucial [72]. This is to specify the kind, dimension, and form of nanoparticles suitable for crop production. These elements, together with solubility, stability, surface reactivity, and charges, are crucial to agricultural productivity.

Table 3. The effects of several nanomaterials on growth and yield enhancement [71]

Sr. No.	Crops	Nano fertilizers	Yield increment (%)
1.	Paddy	Nano fertilizer + urea	10.2
2.	Paddy	Nano fertilizer + urea	8.5
3.	Wheat	Nano fertilizer + urea	6.5
4.	Wheat	Nano fertilizer + urea	7.3
5.	Soybean	Nano-encapsulated phosphorous	16.7
6.	Maize	Nano-encapsulated phosphorous	10.9
7.	Wheat	Nano-encapsulated phosphorous	28.8
8.	Wheat	Nano-encapsulated phosphorous	14.6
9.	Vegetables	Nano chitosan-NPK fertilizers	12.0–19.7
10.	Wheat	Nano-encapsulated phosphorous	28.8
11.	Vegetables	Nano-encapsulated phosphorous	12.0–19.7
12.	Wheat	Nano chitosan-NPK fertilizers	14.6
13.	Tomato	Nano chitosan	20.0
14.	Cucumber	Nano chitosan	9.3
15.	Pea	Nano chitosan	20
16.	Capsicum	Nano chitosan	11.5
17.	Beet-root	Nano chitosan	8.4
18.	Sweet potato	Nanopowder of cotton seed and ammonium fertilizer	16
19.	Cereals	Aqueous solution on nanoiron	8–17
20.	Peanut	Nanoparticles of ZnO	4.8
21.	Cabbage	Nanoparticles of ZnO	9.1
22.	Cucumber	Nanoparticles of ZnO	6.3
23.	Chickpea	Nanoparticles of ZnO	14.9
24.	Cauliflower	Nanoparticles of ZnO	8.3
25.	Cereals	Nanosilver + allicin	4–8.5
26.	Vegetables	Rare earth oxides nanoparticles	7–45
27.	Cereals	Sulfur nanoparticles + silicon dioxide nanoparticles + synthetic fertilizer	3.4–45%
28.	Cereals	Iron oxide nanoparticles + calcium carbonate nanoparticles + peat	14.8–23.1

NFs' reactivity in plants remains non-specific, regardless of the species being studied. This could be due to the lack of established guidelines for their practical use in the field. Naturally, there is still much to learn about the mechanisms underlying the absorption of NFs and other nano-based agrochemicals by plants [73].

6.7 Farmers Challenges in Nano-fertilizers Application

Cost: Nano fertilizers might now be more expensive than regular fertilizers because of the intricate production processes required. Making them affordable and efficient for small-scale farmers is the main goal.

6.8 Research and Awareness

To improve application techniques and formulations for widespread usage, extensive

research and development are needed. Teaching farmers about the benefits and correct use of nano-fertilizers is also essential to a successful deployment.

- Lack of a risk management framework for nano-fertilizers
- Lack of necessary quantities of nano-fertilizers' manufacture and availability. This restricts the use of nano-fertilizers as a broader source of plant nutrition.
- The pricey nature of nano-powders
- The formulation method is not standardized. This leads to varied outcomes for the same nanomaterial in different pedoclimatic settings.

6.9 Government Initiatives

Realizing the promise of nano-fertilizers, the Indian government has taken significant steps to

promote their use. Research funding, public-private partnerships, and other programs designed to advance the national development and availability of nano-fertilizers [74].

6.10 Environmental Impact and Safety

Since our current understanding is insufficient to predict the potential environmental effects of nanoparticles, caution is needed when synthesizing and using them in agriculture for commercial or industrial products [75]. The market has seen a number of ethical and social issues about the safety of consumer items enabled by nanotechnology, particularly in relation to health and the environment. In order to identify health and environmental concerns with Nano-enabled products, the public expects appropriate labeling and safety standards on packages [76]. Government and regulatory authorities (certification bodies, regulatory agencies), environmental, health, and safety councils (like Environment Health Services), non-governmental organizations, and scientific authorities worldwide are all required to recognize the significance of risk assessment of nanotechnology. Nanoparticles in fertilizers can improve crop productivity and reduce environmental impact. Researchers are exploring nanomaterials like nanozeolites, nanochitosan, and metal oxide nanoparticles to improve nutrient absorption and retention. Controlled-release nanofertilizers have been developed, reducing application frequency and potential nutrient losses [77].

6.11 Regulatory Framework and Future outlook of Nano Fertilizers

In order to address major themes like the synthesis of nanoparticles for agricultural use, quick diagnostic kits for early disease and pest detection, nanopheromones for effective pest control, Nano-agri-inputs for enhanced use efficiencies, precision water management, stabilization of organic matter in soil, nanofood systems, and biosafety, as well as establish a policy framework, the Indian Council of Agricultural Research (ICAR) has opened up an exclusive platform. For use in agriculture, the green or microbial synthesis of nanomaterials that are naturally encapsulated in mother proteins is thought to be more stable and safer for the biological system [42]. Future research should focus on eco-friendly synthesis methods, optimizing properties, and minimizing risks. Green technology innovation and IoT

technologies are needed to create sustainable products and "smart technology" of nanofertilizers that respond to environmental issue.

7. CONCLUSION

The development of novel nano-fertilizer products in accordance with needs, efficient legislation, and related risk management are only a few of the factors that will determine the future of nano-fertilizers for sustainable crop production and the length of time required for their widespread adaption as a source of plant nutrients. Nano fertilisers promise to transform the way we nurture our crops and preserve the environment, bringing in an era of change in agricultural sciences. They can boost agricultural productivity, conserve water, and minimise environmental effects, they are a useful tool for sustainable farming. The next generation of agriculture seems to be more than ever. This innovative technology is bringing out a new era of ecological balance and food security. Lastly, in order to optimise the use of nano-fertilizers for sustainable crop production in a changing climate with the potential for environmental damage, researchers and regulators must take responsibility to provide further insights.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of this manuscript.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Ali MM, Ghazal RA, Al-juthery HW. Effect of rhizobacterein bio fertilizer, NANO-NPK and Nano-micro complete on some parameters of growth and yield of bean and number of bacteria in the rhizosphere. In IOP Conference Series: Earth and Environmental Science. IOP Publishing. 2023;1213(1):012096.
2. Abdelkader M, Zargar M, Bayat M, Pakina E, Shehata AS, Suliman AA. Biogenic Nano-fertilizers as a sustainable approach to alleviate nitrate accumulation and enrich

- quality traits of vegetable crops. *Horticulturae*. 2024;10(8):789.
3. Shoukat A, Saqib ZA, Akhtar J, Aslam Z, Pitann B, Hossain MS, Mühling KH. Zinc and silicon nano-fertilizers influence ionic and metabolite profiles in maize to overcome salt stress. *Plants*. 2024;13(9):1224.
 4. Ur Rahim H, Qaswar M, Uddin M, Giannini C, Herrera ML, Rea G. Nano-enabled materials promoting sustainability and resilience in modern agriculture. *Nanomaterials*. 2021;11(8):2068.
 5. Palupi NP, Kesumaningwati R, Mujiono K, Paramita S, Arung ET. The use of animal manure for improving chemical properties of degraded Ultisol, yield, and secondary metabolites of *Zingiber montanum*. *Journal of Degraded and Mining Lands Management*. 2023;11(1).
 6. Easwaran C, Moorthy G, Christopher SR, Mohan P, Marimuthu R, Koothan V, Nallusamy S. Nano hybrid fertilizers: A review on the state of the art in sustainable agriculture. *Science of the Total Environment*. 2024;172533.
 7. Madlala NC, Khanyile N, Masenya A. Examining the Correlation of the Nano-fertilizer Physical Properties and Their Impact on Crop Performance and Nutrient Uptake Efficiency; 2024.
 8. Shoukat A, Saqib ZA, Akhtar J, Aslam Z, Pitann B, Hossain MS, Mühling KH. Zinc and silicon Nano-fertilizers influence ionic and metabolite profiles in maize to overcome salt stress. *Plants*. 2024;13(9):1224.
 9. Rahim HU, Akbar WA, Alatalo JM. A comprehensive literature review on cadmium (Cd) status in the soil environment and its immobilization by biochar-based materials. *Agronomy*. 2022;12(4):877.
 10. Periakaruppan R, Palanimuthu V, Abed SA, Danaraj J. New perception about the Use of nanofungicides in sustainable agriculture practices. *Archives of Microbiology*. 2023;205(1):4.
 11. El-Ghamry A, Mosa AA, Alshaal T, El-Ramady H. Nanofertilizers vs. biofertilizers: new insights. *Environment, Biodiversity and Soil Security*. 2018;2(2018):51-72.
 12. Saritha GNG, Anju T, Kumar A. Nanotechnology-Big impact: How nanotechnology is changing the future of agriculture? *Journal of Agriculture and Food Research*. 2022;10:100457.
 13. Garg S, Rumjit NP, Roy S. Smart agriculture and nanotechnology: Technology, challenges, and new perspective. *Advanced Agrochem*; 2023.
 14. Marella S, Kumar AN, Tollamadugu NP. Nanotechnology-based innovative technologies for high agricultural productivity: Opportunities, challenges, and future perspectives. *Recent Developments in Applied Microbiology and Biochemistry*. 2021;211-220.
 15. Usman M, Farooq M, Wakeel A, Nawaz A, Cheema SA, Ur Rehman H, Sanaulah M. Nanotechnology in agriculture: Current Status, challenges and future opportunities. *Science of the Total Environment*. 2020;721:137778.
 16. Pramanik P, Krishnan P, Maity A, Mridha N, Mukherjee A, Rai V. Application of nanotechnology in agriculture. *Environmental Nanotechnology Volume*. 2020;4:317-348.
 17. Yadav N, Garg VK, Chhillar AK, Rana JS. Recent advances in nanotechnology for the improvement of conventional agricultural systems: A review. *Plant Nano Biology*. 2023;4:100032.
 18. Batool A, Farooq U, Firdous N, Shafi A, Khan Z, Ahmad S, Usman M. Applications of nanotechnology for improving food safety and security. In *Innovations in Engineering and Food Science*. IGI Global. 2024;151-174.
 19. Nanda A, Pandey P, Rajinikanth PS, Singh N. Revolution of nanotechnology in food packaging: Harnessing Electrospun zein nanofibers for improved preservation-A review. *International Journal of Biological Macromolecules*. 2024;129416.
 20. Mohan C, Robinson J, Vodwal L, Kumari N. Sustainable development goals for addressing environmental challenges. In *Green Chemistry Approaches to Environmental Sustainability*. Elsevier. 2024;357-374.
 21. Azam N, Khan MW, Sardar S, Yousaf I, Zahid A, Ismail A, Javed MS. New insights for improving agriculture soils through nanotechnology. *Haya Saudi J Life Sci*. 2022;7(9):244-248.

22. Chhipa H, Joshi P. Nanofertilizers, nanopesticides and nanosensors in agriculture. In: Nanoscience in food and agriculture. Springer, Cham. 2016;247–282.
23. Manjunatha SB, Biradar DP, Aladakatti YR. Nanotechnology and its applications in agriculture: A review. J Farm Sci. 2016;29(1):1–13.
24. Rodell M, Velicogna I, Famiglietti JS. Satellite-based estimates of groundwater depletion in India. Nature. 2009;460(7258):999–1002.
25. Batsmanova LM, Gonchar LM, Taran NY, Okaneneko AA. Using a colloidal solution of metal nanoparticles as micronutrient fertilizer for cereals. Doctoral dissertation, Sumy State University; 2013.
26. Ghormade V, Deshpande MV, Paknikar KM. Perspectives for Nano-biotechnology enabled protection and nutrition of plants. Biotechnol Adv. 2011;29(6):792–803
27. Gonzalez JOW, Gutierrez MM, Ferrero AA, Band BF. Essential oils Nano-formulations for stored-product pest control—characterization and biological properties. Chemosphere. 2014;100:130–138.
28. Iqbal MA. Nano-fertilizers for sustainable crop production under changing climate: A global perspective. Sustainable Crop Production. 2019;8:1-13.
29. Deshmukh SK, Kochar M, Kaur P, Singh PP. (Eds.). Nanotechnology in agriculture and environmental science. CRC Press, Taylor and Francis Group; 2023.
30. Singh NA. Nanotechnology innovations, industrial applications and patents. Environmental Chemistry Letters. 2017;15(2):185-191.
31. Channab BE, Idrissi AE, Ammar A, Dardari O, Marrane SE, El Gharrak A, Zahouily M. Recent advances in Nano-fertilizers: Synthesis, crop yield impact, and economic analysis. Nanoscale; 2024.
32. Ali SS, Darwesh OM, Kornaros M, Al-Tohamy R, Manni A, El-Shanshoury AERR, Sun J. Nano-biofertilizers: Synthesis, advantages, and applications. In biofertilizers. Woodhead Publishing. 2021;359-370.
33. Aslam AA, Aslam MS, Aslam AA. An overview on green synthesis of nanoparticles and their advanced applications in sustainable agriculture. International Journal of Applied Chemical and Biological Sciences. 2022;3(2):70-99.
34. Lateef A, Nazir R, Jamil N, Alam S, Shah R, Khan MN, Saleem M. Synthesis and characterization of zeolite-based Nano-composite: An environment friendly slow-release fertilizer. Microporous and Mesoporous Materials. 2016;232:174-183.
35. Saha N, Gupta SD. Low-dose toxicity of biogenic silver nanoparticles fabricated by *Swertia chirata* on root tips and flower buds of *Allium Cepa*. J Hazard Mater. 2017;330:18–28. Available:https://doi.org/10.1016/j.jhazmat.2017.01.021
36. Poopathi S, De Britto LJ, Praba VL, Mani C, Praveen M. Synthesis of silver nanoparticles from *Azadirachta indica*—a most effective method for mosquito control. Environ Sci Pollut Res. 2015;22(4):2956–2963.
37. Yaseen RIS, Ahmed AM, Omer A, KM Agha MM, Emam T. Nano-fertilizers: Bio-fabrication, application and biosafety. Novel Research in Microbiology Journal. 2020;4(4):884-900.
38. Jakhar AM, Aziz I, Kaleri AR, Hasnain M, Haider G, Ma J, Abideen Z. Nano-fertilizers: A sustainable technology for improving crop nutrition and food security. NanoImpact. 2022;27:100411.
39. Seleiman MF, Almutairi KF, Alotaibi M, Shami A, Alhammad BA, Battaglia ML. Nano-fertilization as an emerging fertilization technique: Why can modern agriculture benefit from its use? Plants. 2020;10(1):2.
40. Sebastian A, Devika PS, Nair PP, Devadas VS. Green synthesis of potassium-infused nitrogenous Nano-fertilizer for enhanced plant growth. Chemical Papers. 2024;78(3):1481-1492.
41. Elsayed AA, Ahmed EG, Taha ZK, Farag HM, Hussein MS, Abou Aitah K. Hydroxyapatite nanoparticles as novel Nano-fertilizer for production of rosemary plants. Scientia Horticulturae. 2022;295: 110851.
42. Konappa N, Krishnamurthy S, Arakere UC, Chowdappa S, Akbarbasha R, Ramachandrapa NS. Nanofertilizers and nanopesticides: Recent trends, future prospects in agriculture. Advances in Nano-fertilizers and Nano-pesticides in Agriculture. 2021;281-330.

43. Pandey G. Challenges and future prospects of Agri-nanotechnology for sustainable agriculture in India. *Environmental Technology and Innovation*. 2018;11:299-307.
44. Kumari R, Suman K, Karmakar S, Mishra V, Lakra SG, Saurav GK, Mahto BK. Regulation and safety measures for nanotechnology-based Agri-products. *Frontiers in Genome Editing*. 2023;5:1200987.
45. Usman M, Farooq M, Wakeel A, Nawaz A, Cheema SA, Ur Rehman H, Sanaullah M. Nanotechnology in agriculture: Current status, challenges and future opportunities. *Science of the Total Environment*. 2020;721:137778.
46. Mishra S, Keswani C, Abhilash PC, Fraceto LF, Singh HB. Integrated approach of Agri-nanotechnology: Challenges and future trends. *Frontiers in Plant Science*. 2017;8:471.
47. Bernela M, Rani R, Malik P, Mukherjee TK. Nanofertilizers: Applications and future prospects. In *Nanotechnology*. Jenny Stanford Publishing. 2021;289-332.
48. Zhao L, Lu L, Wang A, Zhang H, Huang M, Wu H, Ji R. Nano-biotechnology in agriculture: Use of nanomaterials to promote plant growth and stress tolerance. *Journal of Agricultural and Food Chemistry*. 2020;68(7):1935-1947.
49. Ditta A, Arshad M. Applications and perspectives of using nanomaterials for sustainable plant nutrition. *Nanotechnology Reviews*. 2016;5(2):209-229.
50. Huang Q, Ayyaz A, Farooq MA, Zhang K, Chen W, Hannan F, Zhou W. Silicon dioxide nanoparticles enhance plant growth, photosynthetic performance, and antioxidants defence machinery through suppressing chromium uptake in *Brassica napus* L. *Environmental Pollution*. 2024;342:123013.
51. Ghouri F, Shahid MJ, Zhong M, Zia MA, Alomrani SO, Liu J, Shahid MQ. Alleviated lead toxicity in rice plant by co-augmented action of genome doubling and TiO₂ nanoparticles on gene expression, cytological and physiological changes. *Science of the Total Environment*. 2024;911:168709.
52. Javadov NH, Aliyev BH, Kazimov NF, Galandarov GA. Synthesis of Nanomaterials, Nanofertilizers and research of their impact on agricultural plants. Herald of the Azerbaijan engineering academy Founders: Public Association Bulletin of the Azerbaijan Academy of Engineering. 2021;13(3):106-112.
53. Singh A, Sharma R, Rajput VD, Ghazaryan K, Minkina T, Al Tawaha ARM, Varshney A. Green synthesis of nanofertilizers and their application for crop production. In *Nanofertilizers for Sustainable Agroecosystems: Recent Advances and Future Trends*. Cham: Springer Nature Switzerland. 2023;205-231.
54. Yadav A, Yadav K, Abd-Elsalam KA. Nanofertilizers: Types, delivery and advantages in agricultural sustainability. *Agrochemicals*. 2023;2(2):296-336.
55. Channab BE, Idrissi AE, Ammar A, Dardari O, Marrane SE, El Gharrak A, Zahouily M. Recent advances in Nano-fertilizers: Synthesis, crop yield impact, and economic analysis. *Nanoscale*; 2024.
56. Wang X, Xie H, Wang P, Yin H. Nanoparticles in plants: Uptake, transport and physiological activity in leaf and root. *Materials*. 2023;16(8):3097.
57. Avellan A, Yun J, Morais BP, Clement ET, Rodrigues SM, Lowry GV. Critical review: Role of inorganic nanoparticle properties on their foliar uptake and in planta translocation. *Environmental Science and Technology*. 2021;55(20):13417-13431.
58. Rahman SU, Wang X, Shahzad M, Bashir O, Li Y, Cheng H. A review of the influence of nanoparticles on the physiological and biochemical attributes of plants with a focus on the absorption and translocation of toxic trace elements. *Environmental Pollution*. 2022;310:119916.
59. Sexauer M, Shen D, Schön M, Andersen TG, Markmann K. Visualizing polymeric components that define distinct root barriers across plant lineages. *Development*. 2021;148(23):dev199820.
60. Parshad J, Kumar R, Chhokar V, Patil N, Beniwal V, Singh N, Kumar A. Paddy straw management: Alternative strategies and emerging technology for sustainable ecosystem. *Pedosphere*; 2024.
61. Rani S, Gupta A, Kaushik D, Rustagi S, Malik S, Yogi R, Singh N. Insilico structural modeling of normal and mutated subunits of ADP-glucose Pyrophosphorylase from *Triticum aestivum* to study protein-protein

- interactions. Plant Science Today. 2024; 11(3).
62. Malik C, Dwivedi S, Rabuma T, Kumar R, Singh N, Kumar A, Chhokar V. De novo sequencing, assembly, and characterization of *Asparagus racemosus* transcriptome and analysis of expression profile of genes involved in the flavonoid biosynthesis pathway. *Frontiers in Genetics*. 2023;14: 1236517.
 63. Rajak BK, Rani P, Mandal P, Chhokar RS, Singh N, Singh DV. Emerging possibilities in the advancement of herbicides to combat acetyl-CoA carboxylase inhibitor resistance. *Frontiers in Agronomy*. 2023;5: 1218824.
 64. Upadhyay AK, Mallick S, Singh R, Singh L, Singh N, Mandotra SK, Saxena G. Novel cost-effective design for bio-volatilization studies in photosynthetic microalgae exposed to arsenic with emphasis on growth and glutathione modulation. *Frontiers in Microbiology*. 2023;14: 1170740.
 65. Chauhan A, Chauhan M, Sethi M, Bodhe A, Tomar A, Shikha, Singh N. Application of flower wastes to produce valuable products. Valorization of Biomass Wastes for Environmental Sustainability: Green Practices for the Rural Circular Economy. 2024;251-268.
 66. Dixit P, Singh N, Singh L, Srivastava RP, Pandey S, Singh S, Ercisli S. Screening for the biochemical profile and biological activity in *Cephalotaxus* and *Taxus* collected from North-Eastern Himalayas. *ACS Agricultural Science and Technology*. 2023;3(8):694-700.
 67. Sahariah P, Bora J, Malik S, Syiem D, Bhan S, Hussain A, Almutary AG. Therapeutic Potential of *Dillenia indica* L. in Attenuating hyperglycemia-induced oxidative stress and apoptosis in Alloxan-administered diabetic Mice. *Frontiers in Bioscience-Landmark*. 2023;28(5): 105.
 68. Srivastava RP, Kumar S, Singh L, Madhukar M, Singh N, Saxena G, Rustagi S. Major phenolic compounds, antioxidant, antimicrobial, and cytotoxic activities of *Selinum carvifolia* (L.) collected from different altitudes in India. *Frontiers in Nutrition*. 2023;10: 1180225.
 69. Rajak BK, Rani P, Singh N, Singh DV. Sequence and structural similarities of ACCase protein of *Phalaris minor* and wheat: An insight to explain herbicide selectivity. *Frontiers in Plant Science*. 2023a;13:1056474.
 70. Singh N, Jiwani G, Rocha LS, Mazaheri R. Bioagents and volatile organic compounds: An emerging control measures for rice bacterial diseases. In *Bacterial Diseases of Rice and Their Management*. Apple Academic Press. 2023a;255-274.
 71. Kumar M, Mehra R, Yogi R, Singh N, Salar RK, Saxena G, Rustagi S. A novel tannase from *Klebsiella pneumoniae* KP715242 reduces haze and improves the quality of fruit juice and beverages through detannification. *Frontiers in Sustainable Food Systems*. 2023;7: 1173611.
 72. Sahu N, Singh N, Arya KR, Reddy SS, Rai AK, Shukla V, Rustagi S. Assessment of the dual role of *Lyonia ovalifolia* (Wall.) Drude in inhibiting AGEs and enhancing GLUT4 translocation through LC-ESI-QTOF-MS/MS determination and in silico studies. *Frontiers in Pharmacology*. 2023; 14:1073327.
 73. Kaur N, Kumar R, Alhan S, Sharma H, Singh N, Yogi R, Kumar A. Lycium shawii mediated green synthesis of silver nanoparticles, characterization and assessments of their phytochemical, antioxidant, antimicrobial properties. *Inorganic Chemistry Communications*. 2024; 159:111735.
 74. Gadewar M, Prashanth GK, Babu MR, Dileep MS, Prashanth PA, Rao S, Orhan E. Unlocking Nature's potential: Green synthesis of ZnO nanoparticles and their multifaceted applications-A concise overview. *Journal of Saudi Chemical Society*. 2023;101774.
 75. Singh N, Pandey R, Chandraker SK, Pandey S, Malik S, Patel D. Use of wild edible plants can meet the needs of future generation. In *Agro-biodiversity and Agri-ecosystem Management*. Singapore: Springer Nature Singapore. 2022;341-366.
 76. Thakur A, Singh S, Dulta K, Singh N, Ali B, Hafeez A, Marc RA. Nutritional evaluation, phytochemical makeup, antibacterial and antioxidant properties of wild plants utilized as food by the Gaddis-a tribal tribe in the

- Western Himalayas. *Frontiers in Agronomy*. 2022;4:1010309.
77. Singh N, Mansoori A, Jiwani G, Solanke AU, Thakur TK, Kumar R, Kumar A. Antioxidant and antimicrobial study of *Schefflera vinosa* leaves crude extracts against rice pathogens. *Arabian Journal of Chemistry*. 2021;14(7):103243.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/118096>